CLINICIAN TOOLS

Vanderbilt Assessment Scale: **ADHD Toolkit Parent-Informant Form**



Child's name: _____ Parent's name: _____

Date:_____ DOB:_____ Age: _____

Directions: Each rating should be considered in the context of what is appropriate for the age of your child. When completing this form, please think about your child's behaviors in the past 6 months.

This evaluation is based on a time when your child: 🗆 Was on medication 🔅 Was not on medication 🔅 Not sure

	Behavior	Never (0)	Occasionally (1)	Often (2)	Very Often (3)	
	Does not pay attention to details or makes mistakes that seem careless with, for example, homework					
2.	Has difficulty keeping attention on what needs to be done					
3. I	Does not seem to listen when spoken to directly					
	Does not follow through on instructions and does not finish activities (not because of refusal or lack of comprehension)					
5. I	Has difficulty organizing tasks and activities					
	Avoids, dislikes, or does not want to start tasks that require ongoing mental effort					
	Loses things necessary for tasks or activities (eg, toys, assignments, pencils, books)					
8.	Is easily distracted by noises or other stimuli					For Office Use Only
9.	Is forgetful in daily activities					2s & 3s /9
		1	1			
10.	Fidgets with or taps hands or feet or squirms in seat					
11.	Leaves seat when remaining seated is expected					
	Runs about or climbs too much when remaining seated is expected					
13.	Has difficulty playing or beginning quiet play games					
14.	Is on the go or often acts as if "driven by a motor"					
15.	Talks too much					
16.	Blurts out answers before questions have been completed					
17.	Has difficulty waiting his or her turn					
	Interrupts or intrudes into others' conversations or activities or both					For Office Use Only 2s & 3s /9

Vanderbilt Assessment Scale: ADHD Toolkit Parent-Informant Form

Child's name: ____

Today's date:

Behavior	Never (0)	Occasionally (1)	Often (2)	Very Often (3)	
19. Loses temper					
20. Is touchy or easily annoyed					
21. Is angry or resentful					
22. Argues with authority figures or adults					
23. Actively defies or refuses to adhere to requests or rules					
24. Deliberately annoys people					
25. Blames others for his or her mistakes or misbehaviors					F
26. Is spiteful and wants to get even					- 1
27. Bullies, threatens, or intimidates others					
28. Starts physical fights					
29. Has used a weapon that can cause serious harm (eg, bat, knife, brick, gun)					
30. Has been physically cruel to people					1
31. Has been physically cruel to animals					
32. Has stolen while confronting the person					1
33. Has forced someone into sexual activity					
34. Has deliberately set fires to cause damage					
35. Deliberately destroys others' property					
36. Has broken into someone else's home, business, or car					1
 Lies to get out of trouble, to obtain goods or favors, or to avoid obligations (ie, cons others) 					
38. Has stolen items of value					
 Has stayed out at night without permission beginning before age 13 					
40. Has run away from home twice or once for an extended period					F
41. Is often truant from school (skips school)					2
42. Is fearful, anxious, or worried					
43. Is afraid to try new things for fear of making mistakes]
44. Feels worthless or inferior					1

 Feels lonely, unwanted, or unloved; often says that no one loves him or her 			
47. Is sad, unhappy, or depressed			For Office Use Only
48. Is self-conscious or easily embarrassed			2s & 3s /7

45. Blames self for problems or feels guilty

Vanderbilt Assessment Scale: ADHD Toolkit Parent-Informant Form



Child's name:

Today's date: _____

Academic and Social Performance	Excellent (1)	Above Average (2)	Average (3)	Somewhat of a Problem (4)	Problematic (5)	
49. Overall school performance						
50. Reading						
51. Writing						
52. Mathematics						
53. Relationship with parents						For 0
54. Relationship with siblings						Use C
55. Relationship with peers						
56. Participation in organized activities (eg, teams)						For Of Use Of 5s

How old was your child when you first noticed the behaviors?

Tic behaviors: To the best of your knowledge, please indicate if your child displays the following behaviors:

1. Motor tics: Rapid, repetitive movements such as eye blinking, grimacing, nose twitching, head jerks, shoulder shrugs, arm jerks, body jerks, and rapid kicks.

 \Box No tics present.

 $\hfill\square$ Yes, they occur nearly every day but go unnoticed by most people.

 $\hfill\square$ Yes, noticeable tics occur nearly every day.

2. Phonic (vocal) tics: Repetitive noises including, but not limited to, throat clearing, coughing, whistling, sniffing, snorting, screeching, barking, grunting, and repetition of words or short phrases.

 \Box No tics present.

- $\hfill\square$ Yes, they occur nearly every day but go unnoticed by most people.
- \Box Yes, noticeable tics occur nearly every day.
- 3. If YES to 1 or 2, do these tics interfere with your child's activities (eg, reading, writing, walking, talking, eating)? □ No □ Yes

Vanderbilt Assessment Scale: ADHD Toolkit Parent-Informant Form

Child's name:

Today's date: _____

Previous diagnosis and treatment: Please answer the following questions to the best of your knowledge:

- 1. Has your child been diagnosed as having ADHD or ADD? □ No □ Yes
- 2. Is he or she on medication for ADHD or ADD? \square No \square Yes
- 3. Has your child been diagnosed as having a tic disorder or Tourette syndrome? \square No \square Yes
- 4. Is he or she on medication for a tic disorder or Tourette disorder? □ No □ Yes

Adapted from the Vanderbilt rating scales developed by Mark L. Wolraich, MD.

For Office Use Only

Total number of questions scored 2 or 3 in questions 1–9:
Total number of questions scored 2 or 3 in questions 10–18:
Total number of questions scored 2 or 3 in questions 19–26:
Total number of questions scored 2 or 3 in questions 27-41:
Total number of questions scored 2 or 3 in questions 42-48:
Total number of questions scored 4 in questions 49–56:
Total number of questions scored 5 in questions 49–56:

American Academy of Pediatrics

s user



DEDICATED TO THE HEALTH OF ALL CHILDREN®

The recommendations in this resource do not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate. Original resource included as part of *Caring for Children With ADHD: A Practical Resource Toolkit for Clinicians*, 3rd Edition.

Inclusion in this resource does not imply an endorsement by the American Academy of Pediatrics (AAP). The AAP is not responsible for the content of the resources mentioned in this resource. Website addresses are as current as possible but may change at any time.

The American Academy of Pediatrics (AAP) does not review or endorse any modifications made to this resource and in no event shall the AAP be liable for any such changes. © 2020 American Academy of Pediatrics. All rights reserved.